SLEEP SA

All Bookings & Enquiries:

Tel: (08) 8364 4434 Fax: (08) 8332 2236 info@sleepsa.com.au www.sleepsa.com.au

NORTH EASTERN
COMMUNITY HOSPITAL

580 Lower North East Road Campbelltown SA 5074 Dr Michael Chia Dr Madhu Chandratilleke Dr M S Mohd Shif

Dr Vinod Aiyappan	
Dr Paroma Sarkar	
Dr Carissa Yap	

SLEEP STUDY REQUEST FORM

Patient Details	
Surname: 0	Given Name(s):
Address:	
Birth Date: Ema	ail:
Telephone: (Home): (Wor	k): (Mob):
Study Date: / / Follow-up	Date:// by:
Health Fund: Fund No:	Medicare No:
Review By Sleep Specialist Post-Study: Yes:	○ No: ○ Report Format: Print: ○ PDF: ○
CLINICAL DETAILS / INDICATION FOR STUDY	Test Required O Diagnostic Laboratory O CPAP Titration O Other
Level of Assistance/Nursing Care Required C	VERNIGHT (IMPORTANT TO FACILITATE BEST CARE)
For Referring Dr/GP Only Appointment with sleep scientist to go thro	ough sleep study report: Yes: 🚫 No: 🔿
Referring Doctor's Details	Additional Copies to
Name: Address:	Name: Address:
Telephone: Email Address:	
Doctor's Signature:	Date://

Nam	e:				Age:	years
Heigl	ht:	cm	Weight:	kg	BMI:	
			STOP-BAN	G Questio	nnaire*	
Pleas	se comp	lete			Tick i	f YES
S	Do you S	Snore loudly?				
т	Do you o	often feel Tired, fa	tigued or sleepy	during the d	laytime?	
0	Has any	one noticed your l	breathing is Obs	tructed durii	ng sleep?	
Ρ	Do you ł	nave or are you be	ing treated for h	igh blood Pr	ressure?	
в	BMI more	e than 35?				
Α	Age over	r 50?				
Ν	Neck cire	cumference over 4	10cm?			
G	Gender r	nale?				

Patients answering **YES to 5 or more** of the above questions are at **HIGH RISK of having sleep apnoea** and may be referred for a sleep study. The Epworth Sleepiness scale may also be used to further determine the necessity for investigation.

*Chung F et al., Chest. 2016; 149(3):631-8

The Epworth Sleepiness Scale

Based on your recent life-style, how likely are you to fall asleep in the following situations, in contrast to just feeling tired? Even if you have not experienced some of the following situations lately, please try to determine how they would have affected you.

Use the following scale to choose the most appropriate number for each situation:

0	=	would never doze
1	=	light chance of dozing
2	=	moderate chance of dozing
3	=	high chance of dozing

SITUATION	CHANCE OF DOZING (0-3)
Sitting and reading	
Watching TV	
Sitting inactive in a public place (e.g. a theatre or a meeting)	
A passenger in a car for an hour without a break	
Lying down to rest in the afternoon when circumstances permit	
Sitting and talking to someone	
Sitting quietly after lunch without alcohol	
In a car while stopped for a few minutes in traffic	
Total Score	

Medication

	moulouton
Tick if YES	
Anti-depressant?	
Narcotic analgesic?	
Anti-convulsant?	
Anti-Parkinson?	

Benzodiazepine?	
Mood stabilizer?	
Anti-hypertensive?	
Anti-arrhythmic?	

A score ≥ 9 indicates excessive daytime sleepiness